


127
126
Exotic

HOUSE PLANTS



JULIUS ROEHRS CO., RUTHERFORD, N. J.

For more complete and descriptive information on House plants and their care, we recommend our books by A. B. GRAF:




"EXOTIC PLANTS ILLUSTRATED"
 Their Background and Requirements (3rd Edition)
 1,300 plants pictured, 96 pages — \$2.50

New, large Reference book "EXOTICA" ILLUSTRATED MANUAL OF INDOOR PLANTS

appr. 400 pages, bound in buckram, with more than 3000 new illustrations of plants arranged by families, 85 shown in color; 2400 Common Names; Botanical Terms; Descriptive Text; Information on Care; Methods of Propagation; Geographic and Climatic Background. A book every plant lover will want — ready soon — \$10.00 and postage.

SHIPPING ORDERS: Because of limited mother stock, orders are accepted with the understanding that they will be shipped only if and when saleable plants are available beyond needed propagating stock. If we cannot ship within a reasonable time, we will back order these plants, but return your remittance.

Cash with order. Shipments \$10.00 or over are sent prepaid (except when weight or size is unusual), parcel post special handling, or express, to destinations east of the Mississippi. Western states add 5% to cover additional postage. On orders under \$10.00 add 75c to help cover cost of handling and postage, or \$1.00 west of Mississippi. Minimum of \$3.00 on mail orders. Air shipments on request, collect. Foreign shipments via air freight, free of soil, f.o.b. New York. Plants will be sent in plastic or paper pots wherever possible; Orchids, unless requested otherwise, in clay pots, in which case we send transportation collect. We will pack carefully, but cannot be held responsible for poor arrival because of the perishable nature of many exotic plants. We try to avoid shipping during cold weather.



Plant lovers are cordially invited to visit our 130 greenhouses, any day of the week; however, sales in our Exotics department cannot be made Saturday p.m. or Sunday when our specialists are not available. The greenhouses are located on Paterson Avenue, via Highway 3, 8 miles from Lincoln Tunnel, New York. Inter-City Bus No. 35 from Port Authority Terminal in Manhattan, to Park Avenue, East Rutherford, then continue same direction 1 mile Bus No. 3.



JULIUS ROEHRS COMPANY

RUTHERFORD, NEW JERSEY



EXOTIC HOUSE PLANTS

PRICE LIST E-56

As Wholesale Growers we must depend on quantity production of popular Flowering and Foliage plants. Aside from these, we maintain a large collection of the more unusual indoor plants. Because of limited propagating stock, such Exotics are not readily available at all times, and our listings are therefore subject to supply. Specimen Plants for decorative purposes quoted on request.

SIZES indicated are relative and determined by growth habit:

SMALL plants generally are offshoots, divisions or rooted cuttings from 2 1/4" or 3" pots.

MEDIUM size are more matured plants, usually 4" or 5" pots.

LARGE size will be good sized plants and may be in 5", 6", 7" or 8" pots, or larger.


COLLECTIONS. For your convenience, we offer the following selections of plants, properly labeled, at substantial savings in price:

| | |
|--------------------------------------|---------|
| 5 house plants, assorted | \$ 8.50 |
| 10 house plants in good selection | 21.00 |
| 10 hanging plants and trop. creep. | 7.50 |
| 10 dwarf Terrarium plants | 4.50 |
| 5 fancy tropical plants | 17.50 |
| 5 Bromeliads, different types | 8.50 |
| 10 Bromeliads, good selection | 17.50 |
| 20 Bromeliads, col. of fancy var. | 65.00 |
| 10 Cacti, suit. for pottery plantg. | 4.00 |
| 25 Cacti, col. all different | 10.00 |
| 10 Succulents, for novelty plantg. | 3.00 |
| 25 Succulents, interesting col. | 9.00 |
| 10 African Violets, Stand. Ass't | 8.50 |
| 25 African Violets, in best sel. | 20.00 |
| 10 African Violets, all fancy var. | 12.00 |
| 5 orchids, dif. types, for beginners | 18.00 |
| 10 Orchids, all around collection | 41.00 |

| | |
|-------------------------------|--------------------|
| ABUTILON megapot. varieg. | S 1.00 M 2.00 |
| striatum Souvenir de Bonn | S 1.00 M 2.00 |
| striatum Thompsonii | S 1.00 M 2.00 |
| ACACIA armata paradoxo | 4" 5.00 and up |
| ACALYPHA sanderi (hispida) | S 2.50 M 7.50 |
| wilkesiana macafeana | S 1.50 L 7.50 |
| wilkesiana marginata | S 1.50 L 7.50 |
| wilkesiana obovata | S 2.00 L 7.50 |
| ACANTHUS montanus | S 2.50 M 5.00 |
| ACORUS gramineus albo-varieg. | S .40 |
| AGAPANTHUS africanus | 5" 4.00 |
| AGLAONEMA angustifolia | S 2.50 |
| commutatum | S 1.00 M 2.50 |
| commutatum albo-variegata | S 2.50 |
| costatum | S 3.50 |
| cuscuaria | S 2.50 |
| hospitum | S 4.00 |
| modestum | 2 1/4" .70 3" 1.50 |
| oblongifolia | M 10.00 |
| oblongifolia curtisii | M 15.00 |
| pictum | S 15.00 |
| (Schismatogl.) roebelii | S 2.50 M 5.00 |
| simplex | S 2.50 |
| treubii | S 3.50 M 7.50 |
| ALLAMANDA cath. hendersonii | S 1.50 M 4.00 |
| neriifolia | S 2.00 M 5.00 |
| ALOCASIA chantrieri | M 7.50 |
| cucullata | S 3.00 M 7.50 |
| cuprea | S 5.00 M 7.50 |
| indica metallica | M 4.00 |
| lindenii | S 12.00 |
| longiloba | S 5.00 M 7.50 |
| amazonica | S 7.50 M 10.00 |
| macrorrhiza variegata | S 6.00 |
| odora | S 5.00 M 12.00 |
| sanderiana | S 6.00 M 8.00 |
| sedeni | S 7.50 |
| ALPINIA sanderae | S 3.50 |
| ALTERNANTHERA yellow and red | 3" 1.00 |

left to right:

BEGONIA glaucophylla
SYNGONIUM Emerald Gem
SCINDAPSUS argyraeus
BEGONIA Rex-Diadema
AGLAONEMA costatum





left to right:

XANTHOSOMA lindenii

CALATHEA roseo-lineata

AGLAONEMA roebelinii

ANTHURIUM andreaeanum

| | | |
|----------------------------------|---|----------------|
| ANTHURIUM andreaeanum album..... | M | 12.00 |
| andreaeanum hybrid..... | M | 7.50 L 12.00 |
| andreaeanum roseum..... | M | 10.00 L 20.00 |
| acaule..... | M | 7.50 |
| bakeri..... | S | 3.00 |
| crystalinum..... | S | 2.00 M 4.00 up |
| digitatum..... | M | 5.00 |
| dussii..... | M | 7.50 |
| elegans..... | M | 7.50 |
| hookeri..... | M | 7.50 |
| pentaphyllum..... | M | 6.00 |
| radicans..... | S | 10.00 |
| scandens..... | S | 3.00 |
| scherzerianum..... | S | 4.00 M 7.50 |
| tetragonum..... | M | 7.50 |
| variabile..... | M | 5.00 |
| veitchii..... | S | 10.00 M 20.00 |
| warocqueanum..... | S | 7.50 M 20.00 |
| wrightii..... | M | 12.00 |

| | | |
|----------------------------------|---|-------------|
| ARALIA see Poliscias balfouriana | | |
| ARALIA elegantissima..... | S | 2.50 M 4.00 |
| (Fatsia) Sieboldi..... | M | 4.00 up |
| ARAUCARIA excelsa..... | S | 5" 5.00 |
| ARDISIA crenulata..... | S | .50 |
| ASPARAGUS sprengeri..... | S | .50 M 1.50 |
| plumosus..... | S | .50 |
| ASPIDISTRA lurida varieg..... | S | 3.50 M 7.50 |
| AUCUBA japonica variegata..... | S | 1.25 M 2.50 |
| japonica goldiana..... | S | 2.00 M 4.00 |

AZALEAS

| | | |
|--|---|------|
| Rhododendron Simsii hybrids (large Belgian indica:) | | |
| Memoria Sanders, Vervaeneana, Mad. Petrick, Albert and Elizabeth, Jean Haerens, Triomphe, etc..... | M | 3.50 |
| Dwarf Austrian indica: Hexe..... | M | 2.50 |
| Rutherfordiana (Bobbink): | | |
| Alaska, Snow Queen..... | M | 3.50 |
| Pericat hybrids: | | |
| Sweetheart Supreme, Rose Pericat..... | M | 2.50 |
| Kurume: Coral Bells (Kirin) etc..... | M | 2.50 |

| | | |
|-----------------------------------|----|-------------|
| BEGONIA aconitifolia..... | S | 1.50 |
| argenteo-guttata, Angel Wing..... | M | 1.50 |
| boweri..... | 3" | 2.00 |
| boweri major..... | 3" | 1.50 |
| Cleopatra..... | S | 1.50 |
| coccinea May Queen..... | 3" | 1.00 |
| compta..... | S | 1.00 |
| decandra..... | 3" | 1.50 |
| Dorothy Grant..... | 3" | 1.50 |
| feastii, Beefsteak Beg..... | S | 1.00 M 2.50 |
| foliosa..... | S | 1.00 |
| fuchsioides..... | S | .75 |
| glaucophylla..... | S | 1.00 M 2.00 |


| | | |
|-------------------------------|----|-------------|
| gogoensis..... | S | 3.50 |
| haageana (Scharffii)..... | S | 1.00 M 2.00 |
| heracleifolia..... | S | 1.50 M 3.50 |
| hydrocotylifolia..... | S | 1.00 M 2.00 |
| epipsala..... | 3" | 2.00 |
| imperialis..... | S | 3.00 |
| imperialis smaragdina..... | S | 3.00 |
| Lady Wallow..... | 3" | 1.00 |
| longipes petiolata..... | 3" | 1.50 |
| lucerna..... | S | 1.00 M 2.00 |
| manicata aureo-cristata..... | S | 1.50 M 4.00 |
| metallica..... | S | 1.00 M 2.00 |
| Neeley Gaddis..... | 3" | 1.50 |
| Nellie Bly..... | S | 1.00 M 2.00 |
| nelumbifolia..... | 3" | 1.50 |
| nitida odorata..... | S | .75 |
| orange - rubra..... | S | 1.50 M 2.50 |
| orrell..... | 3" | 1.00 |
| pustulata argentea..... | S | 2.50 |
| quadrilocularis..... | 3" | 1.50 |
| rex diadema Fairy..... | 2" | .75 M 1.50 |
| rex diadema Helen Teupel..... | 2" | .75 3" 1.50 |
| rex diadema Salamander..... | S | .75 M 1.50 |
| rex Axel Lange..... | 2" | 1.00 M 1.50 |
| rex Bella..... | 2" | .75 M 1.50 |
| rex Corkscrew..... | 2" | .75 M 1.50 |
| rex Glory of St. Albans..... | M | 1.50 |
| rex Her Majesty..... | 2" | 1.00 M 1.50 |
| rex Lucy Closson..... | 2" | 1.00 M 1.50 |
| rex Meteor Superba..... | 2" | .75 M 1.50 |
| rex Peace..... | 2" | .75 M 1.50 |
| rex Pres. Carnot..... | 2" | .75 M 1.50 |
| rex Seed Twist..... | 2" | 2.00 |
| rex Silver Queen..... | 2" | .75 M 1.50 |
| rex Vesuvius..... | 2" | 1.00 M 1.50 |
| Saxony..... | S | 1.00 M 2.00 |
| scabrida..... | 3" | 2.00 |
| schmidtiana..... | 3" | 1.00 |
| Stitchleaf..... | S | 2.00 |
| templinii..... | 3" | 1.50 |
| ulmifolia..... | 3" | 1.50 |
| venosa..... | 3" | 1.50 |
| BELOPERONE guttata..... | S | 1.00 M 2.00 |
| comosa, red..... | 3" | 2.00 |
| BOEHMERIA argentea..... | M | 5.00 |
| BOUGAINVILLEA glabra..... | S | 1.50 |
| harrisii (variegated)..... | S | 2.50 |
| Temple Fire..... | 5" | 7.50 |
| BOUVARDIA ternifolia..... | S | 1.00 M 2.50 |
| ternifolia Giant Pink..... | S | 1.00 |
| ternifolia Joy..... | S | 1.25 |
| longiflora humboldtii..... | S | 1.00 |
| BOWIEA volubilis..... | S | 2.00 |

left to right:

TILLANDSIA lindeniana


ANANAS com. varieg.

AECHMEA fulgens disc.



Bromeliads

| | | | | | |
|--------------------------|---|-------|----------------------------|---|-------|
| AECHMEA calyculata | M | 2.50 | (bivittatus) roseus pictus | M | .50 |
| caudata variegata | M | 7.50 | rubescens | M | 1.25 |
| fasciata albo-marginata | M | 20.00 | zebrinus | M | 2.50 |
| fasciata | M | 5.00 | zonatus | M | 1.50 |
| fasciata variegata | M | 25.00 | CRYPTBERGIA meadii | M | 1.00 |
| fosteriana | M | 5.00 | DYCKIA fosteriana | M | 2.00 |
| fulgens | M | 5.00 | leptostachys | M | 2.50 |
| fulgens discolor | M | 4.00 | sulphurea | M | .75 |
| Hybrid Bert | M | 5.00 | GUZMANIA berteroniana | M | 3.50 |
| Hybrid Foster's Favorite | M | 3.00 | monostachya | M | 3.50 |
| hystrix | M | 7.50 | musaica | M | 25.00 |
| marmorata | M | 3.50 | lingulata | M | 5.00 |
| mexicana | M | 3.50 | zahnii | M | 15.00 |
| miniata discolor | M | 3.50 | HECHTIA glomerata | M | 5.00 |
| nudicaulis | M | 2.50 | HOHENBERGIA stellata | M | 5.00 |
| orlandiana | M | 3.50 | NEOREGELIA bahianus | M | 3.50 |
| ortgiesii | M | 3.00 | carolinae | M | 5.00 |
| pineliana | M | 3.50 | car. tricolor | M | 5.00 |
| racinae | M | 2.50 | charcorodon | M | 15.00 |
| ramosa | M | 7.50 | farinosa | M | 7.50 |
| rosea | M | 2.50 | hyb. tristis x marmorata | M | 3.00 |
| schultesiana | M | 6.00 | marechalii | M | 4.00 |
| weilbachii | M | 4.00 | marmorata | M | 4.00 |
| ANANAS comosus | M | 3.50 | princeps | M | 5.00 |
| comosus variegatus | M | 20.00 | NEOREGELIA chlorosticta | M | 3.50 |
| BILLBERGIA amoena | M | 2.00 | spectabilis | M | 5.00 |
| amoena rubra | M | 2.50 | tristis | M | 2.00 |
| amoena viridis | M | 5.00 | NIDULARIUM amazonicum | M | 7.50 |
| distachia | M | 1.50 | citrinum | M | 3.50 |
| distachia hybrid | M | 1.25 | fulgens | M | 5.00 |
| euphemiae | M | 1.25 | innocentii striatum | M | 7.50 |
| horrida | M | 3.50 | innocentii francois-spa | M | 5.00 |
| iridifolia concolor | M | 2.00 | innocentii lineatum | M | 15.00 |
| leptopoda | M | 2.00 | purpurescens | M | 3.50 |
| macrocalyx | M | 2.00 | PITCAIRNIA carolinae | M | 5.00 |
| meyeri | M | 2.00 | PUYA chilensis | M | 1.50 |
| nutans | M | .75 | QUESNELIA arvensis | M | 7.50 |
| pallescent | M | 1.00 | liboniana | M | 1.50 |
| pyramidalis | M | 1.50 | RHODOSTACHYS andina | M | 3.50 |
| pyramidalis concolor | M | 2.50 | TILLANDSIA circinata | M | 1.50 |
| saundersii | M | 3.50 | fasciculata | M | 4.00 |
| saundersii hybrids | M | 2.00 | lindeniana | M | 15.00 |
| vittata | M | 2.50 | VRIESIA carinata (Marie) | M | 3.50 |
| zebrina | M | 5.00 | fenestralis | M | 10.00 |
| CRYPTANTHUS acaulis | M | .50 | guttata | M | 10.00 |
| acaulis diversifolius | M | 2.00 | hieroglyphica | M | 20.00 |
| acaulis ruber | M | .50 | hyb. erecta | M | 5.00 |
| beuckeri | M | .75 | hyb. favorite | M | 6.00 |
| bivittatus | M | 3.50 | hyb. magnifica | M | 5.00 |
| bromeloides | M | .75 | hyb. poelmanii | M | 6.00 |
| bromeloides tricolor | M | 3.50 | hyb. polonia | M | 5.00 |
| fosteriana | M | 5.00 | incurvata | M | 3.50 |
| lacerdae | M | 1.25 | philippo-coburgi | M | 5.00 |
| osyanus | M | 1.50 | splendens major | M | 7.50 |



left to right:

DIEFFENBACHIA picta

PANDANUS veitchii

DIEFFENBACHIA R. Roehrs

DRACAENA massangeana

| | | |
|----------------------------------|-----------------|-------|
| BRUNFELSIA calycina (floribunda) | M | 4.00 |
| BUXUS japonica | S | .50 |
| CACTUS: see Succulents | | |
| CALADIUM hyb. Ace of Hearts | t. .50 6" p | 4.00 |
| hyb. Candidum | tubers .50 6" p | 3.50 |
| hyb. John Peed | tubers .50 6" p | 4.00 |
| hyb. Macahyba | tubers .50 6" p | 4.00 |
| hyb. Marie Moir | tubers .50 6" p | 4.00 |
| Strapleaf | tubers .75 4" p | 3.00 |
| CAMELLIA japonica alba plena | S 4.00 M | 10.00 |
| japonica Colonel Firey | S 4.00 M | 10.00 |
| japonica Debutante | S 2.50 M | 8.00 |
| japonica W. S. Hastie | S 3.00 M | 8.50 |
| jap. Princess Bochinachi | S 3.00 M | 8.50 |
| CESTRUM nocturnum | S | 2.00 |
| CHAMAEDOREA elegans | S 1.00 M | 5.00 |
| CHAMAERANTHEMUM gaudichaudii | S | .75 |
| igneum | 2" | 3.00 |
| venosum | S | 1.50 |
| CHLOROPHYTUM | | |
| com. Mandaianum | S 1.00 M | 2.00 |
| comosum picturatum | S 1.25 M | 2.50 |
| elatum vittatum | S .75 M | 1.50 |
| CHRYSANTHEMUM, Indoor vars. | S .75 M | 4.00 |
| CISSUS albo-nitens | 3" | 1.50 |
| amazonica | 3" | 3.00 |
| antarctica | 3" 1.00 4" | 2.00 |
| braziliensis | M | 3.00 |
| discolor | 3" | 1.50 |
| erosa | 3" | 1.00 |
| neilgherrensis | 3" | 1.25 |
| quadrangularis | S | 1.00 |
| (Parthenocissus) henryana | 3" | .75 |
| rhombifolia | S .50 M | 1.50 |
| rhombifolia mandaianum | S .75 M | 2.00 |
| sicyoides | 3" | 1.00 |
| (Vitis) striata | 2" | 1.50 |
| voinierianum | M | 3.50 |
| CITRUS ponderosa | 3" 2.50 L | 50.00 |
| taitensis | 3" | 2.50 |
| CLIODENDRUM thomsonae | 3" 1.50 5" | 5.00 |
| fallax | M | 2.50 |
| CLIVIA miniata | M | 7.00 |
| COCCOLOBIS grandiflora | M | 10.00 |
| uvifera, Sea Grape | M | 3.00 |
| COCOS weddelliana | S | 1.25 |
| COFFEA arabica (Coffee) | M | 4.00 |
| COLEUS Lord Falmouth | S | 1.00 |
| assorted | S | .50 |
| COLOCASIA antiquorum fontan. | S 1.50 M | 5.00 |
| CONVOLVULUS cneorum | 3" | 1.00 |

| | | |
|--------------------------------------|---------------|-------|
| COSTUS afer | S | 1.50 |
| sanguineus | 3" | 5.00 |
| zebrinus, Stepladder Plant | 3" 2.50 M | 4.00 |
| CROSSANDRA undulifolia | 3" | 1.50 |
| CROTON aucubifolia | S | 1.00 |
| Appleleaf | S 2.00 M | 4.00 |
| (Codiaeum) var. bogoriense | 3" | 3.00 |
| genuinum aureo-maculatum | S | 1.00 |
| large leaf hybrid | S | 3.50 |
| moluccanum Craigii | S | 2.50 |
| pictum Baronne de Rothschild | M | 3.50 |
| spirale (Corkscrew) | S 2.00 M | 4.00 |
| CUPHEA, platycentra, Cigar Plant | 4" | 2.00 |
| CURCULIGO capitulata | M | 5.00 |
| CYANOTIS somaliensis, Pussy Ears | S | .50 |
| CYPERUS alternifolius | S .50 M | .75 |
| alternifolius nanus | S | 1.50 |
| diffusus | S .75 M | 1.25 |
| DATURA suaveolens | 4" | 3.50 |
| DICHORISANDRA (Tradescantia) reginae | S | 1.50 |
| thyrsiflora | 3" | 1.00 |
| warscewiczii | 3" | 1.00 |
| DIEFFENBACHIA amoena | S 3.00 L | 6.00 |
| barraquiniana | S 2.00 M | 4.00 |
| bausei | S 2.00 M | 4.00 |
| daguense | L | 12.00 |
| fournieri | M | 7.50 |
| fosteri | S | 2.50 |
| hoffmannii | M | 8.00 |
| lanceifolium (angustifolia) | M | 10.00 |
| leonii | M | 4.00 |
| leopoldii | S 3.00 M | 5.00 |
| memoria corsii | M | 4.00 |
| oerstedii | S 2.00 M | 4.00 |
| oerstedii variegata | S | 2.50 |
| parlatorei marmorea | M 6.00 L | 10.00 |
| picta | S 1.00 M | 2.50 |
| picta viridis | S 1.00 M | 3.00 |
| picta jenmannii | S 2.50 M | 4.00 |
| picta R. Roehrs | S 1.50 M | 3.00 |
| pittieri | M | 5.00 |
| splendens | S 2.50 M | 4.00 |
| DRACAENA australis | 3" | 3.00 |
| deremensis longii | S | 3.50 |
| deremensis warneckei | S 1.50 M | 3.50 |
| Draco | S 2.50 M | 5.00 |
| fragrans massangeana | S 1.50 M | 3.00 |
| fragrans lindenii | S 2.00 M | 4.00 |
| fragrans victoriae | S 5.00 M | 10.00 |
| godseffiana | S | .50 |
| goldiana | M | 20.00 |
| marginata | S 2.00 M | 5.00 |
| masseffiana | S 1.50 M | 3.00 |
| rothiana | M 5.00 and up | |
| sanderiana | S .50 M | 1.50 |

left to right:

NEPHROLEPIS whittmannii

PLATYCERIUM alcornae

SELAGINELLA caulescens

ADIANTUM wrightii



| | | | | |
|---------------------------------|----|------|----|------|
| (Cordylina) terminalis | S | 1.50 | M | 3.00 |
| terminalis E. Andre | S | 2.00 | M | 4.00 |
| terminalis Baby Ti | S | 2.50 | M | 4.00 |
| terminalis Firebrand | S | 2.00 | M | 4.00 |
| DRIMIOPSIS kirkii | S | 3.00 | M | 6.00 |
| ELEAGNUS pungens variegata | | | M | 6.00 |
| EPIPREMNOPSIS media | S | | | 3.50 |
| EPIPREMNUM falcifolium | | | M | 3.00 |
| pinnatum | | | M | 3.00 |
| ERANTHEMUM pseudo-alatum | 2" | 1.50 | 3" | 2.00 |
| tricolor | | | 3" | 1.50 |
| variegated white | | | 3" | 1.25 |
| ERICA melanthera rosea | | | 5" | 5.00 |
| EUCHARIS grandiflora | | | 3" | 3.00 |
| grandiflora Moorei | | | 4" | 4.00 |
| EUONYMUS japonicus Silver Queen | S | | | .50 |
| japonicus Yellow Queen | S | | | .50 |
| microphyllus variegatus | S | | | 1.00 |
| radicans argentei-marginata | S | | | .75 |
| uncinata | | | 2" | .75 |
| EURYA japonica variegata | | | 3" | 5.00 |
| EXACUM affinis | | | 3" | 1.25 |
| FATSHEDERA lizei | S | .75 | M | 2.50 |
| lizei variegata | S | | | 2.50 |

Ferns

| | | | | | |
|-----------------------------------|--|--|----|-------|----------------|
| ADIANTUM caudatum | | | S | | .60 |
| cuneatum | | | S | .60 | M 2.00 |
| dec. Pacific Maid | | | S | .75 | M 2.00 |
| ten. wrightii | | | S | .75 | M 2.00 |
| ALSOPHILA australis | | | | | M 10.00 |
| ASPLENIUM bulbiferum | | | | | S 1.25 |
| nidus -avis | | | S | 1.50 | M 4.00 |
| CIBOTIUM schiedeii | | | S | 2.50 | L 15.00 |
| CYATHEA arborea | | | M | 35.00 | L 50.00 |
| DAYALLIA fejeensis | | | | | M 6.00 |
| fejeensis plumosa | | | S | 2.50 | M 5.00 |
| LYGODIUM scandens | | | | | S 2.50 |
| NEPHROLEPIS cordifolia tessellata | | | S | | 1.50 |
| exalt. bostoniensis compacta | | | | | M 3.00 |
| exaltata hillii | | | S | 1.50 | M 4.00 |
| exalt. Roosevelt plumosus | | | S | 1.00 | M 3.50 |
| exalt. whittmannii | | | S | .75 | M 3.00 |
| philippinense | | | | | 3" 1.25 |
| PELLAEA rotundifolia | | | 2" | 1.50 | 3" 2.50 |
| viridis | | | | | S .35 |
| PLATYCERIUM aethiopicum | | | 2" | 3.00 | M 10.00 up |
| alcornae majus | | | | | M 7.00 L 15.00 |
| bifurcatum | | | 2" | 2.00 | M 6.00 up |
| grande | | | 2" | 5.00 | M 15.00 up |
| hillii | | | | | M 7.50 L 15.00 |
| lemonii | | | | | M 7.50 L 15.00 |

| | | | | | |
|-------------------------------------|--|--|----|------|--------|
| POLYPODIUM irioides | | | 3" | | 2.00 |
| mandanum | | | S | 1.00 | M 5.00 |
| POLYSTICHUM (Aspidium) tsus-sinense | | | S | | .50 |
| aculeatum | | | S | | 2.00 |
| PTERIS cretica albo-lineata | | | S | | .35 |
| cretica rivertoniana | | | S | | .35 |
| cretica wilsonii | | | S | | .35 |
| cretica wimsettii | | | S | | .35 |
| ensiformis victoriae | | | S | | .40 |
| flabellata | | | S | | .40 |
| quadriaurita argyrea | | | S | | .40 |
| semipinnata | | | S | | .35 |
| tremula | | | S | | .35 |
| SELAGINELLA caulescens | | | | M | 1.25 |
| kraussiana (denticulata) | | | | M | 1.00 |
| kraussiana brownii | | | | S | .40 |
| emmelliana | | | | S | .75 |
| martensii | | | | 3" | 2.00 |
| martensii watsoniana | | | | S | 2.00 |
| uncinata | | | | S | 1.50 |
| wildenovii | | | S | 2.00 | M 2.50 |

| | | | | | |
|------------------------|--|--|----|------|--------------|
| FICUS altissima | | | | M | 4.00 |
| australis | | | S | 2.00 | M 2.50 |
| carica, Mission Fig | | | 3" | 2.00 | 8" 10.00 |
| elastica | | | M | 2.00 | L 4.00 |
| elastica decora | | | M | 3.50 | L 6.00 |
| elastica doescheri | | | M | 3.00 | L 6.00 |
| elastica variegata | | | M | 3.00 | L 6.00 |
| benamina exotica | | | S | 2.00 | L 4.00 |
| Krishnae | | | S | 5.00 | M 8.00 |
| neriifolia | | | | | S 3.00 |
| nitida | | | S | 2.00 | M 4.00 |
| pandurata | | | M | 6.00 | L 15.00 up |
| parcellii | | | | | S 6.00 |
| quercifolia | | | | | S 2.50 |
| radicans variegata | | | 2" | 1.00 | 3" 2.50 |
| religiosa | | | S | 3.50 | M 8.00 up |
| repens | | | | 2" | .75 3" 1.25 |
| repens pumila | | | | 2" | 1.00 3" 2.00 |
| rubiginosa variegata | | | S | 3.00 | M 6.00 |
| philippinensis | | | | | S 3.00 |
| utilis (Nekbudu) | | | | | M 7.50 |
| FITTONIA argyroneura | | | | | 3" 1.00 |
| verschaffeltii | | | | | 3" 1.25 |
| verschaffeltii pearcei | | | | | 3" 1.00 |

FRANCISCEA: see Brunfelsia

| | | | | | |
|------------------------|--|--|---|------|--------|
| FREYCINETIA multiflora | | | | M | 5.00 |
| FUCHSIA bohnstedtii | | | | S | 2.00 |
| GARDENIA jasminoides | | | S | 1.50 | M 4.00 |
| radicans | | | | S | 3.50 |
| veitchii | | | S | .75 | M 3.00 |



left to right:

IXORA coccinea

FICUS exotica

ANTHURIUM scherz.

HOFFMANNIA ghiesbr.

MIMOSA pudica

GESNERIADS

| | | | | | |
|--|----|------|---------------------------------------|----------|-------|
| ACHIMENES hyb. | 2" | 1.00 | Madonna (pure white double) | 3" | 2.00 |
| AESCHYNANTHUS see Trichosporum | | | Mentor Boy (blue-purple) | 3" | .75 |
| (Gesner.) | | | Morning Girl (purple red) | 3" | 1.25 |
| ALLOPLECTUS lynchii | M | 2.50 | Norseman (medium blue) | 3" | .75 |
| sichlimii | 2" | 1.00 | Painted Girl (white and orchid) | 3" | 1.25 |
| COLUMNEA banksii | S | 2.00 | Pink Beauty (clear pink) | 3" | .75 |
| gloriosa | S | 2.50 | Pink Cloud (large pink double) | 3" | 2.50 |
| tulae flava | S | 3.00 | Pink Fantasy (pink, darker eye) | 3" | 1.00 |
| CORYTHOLOMA (Gesneria) cardinalis | S | 2.00 | Pink Fringette (lively pink) | 3" | 1.50 |
| EPISCIA Chocolate Soldier | 3" | 1.50 | Pink Wonder (large waxy-pink) | 3" | 1.25 |
| chontalensis | 2" | .75 | Roehrs Rose (pink w. dark eye) | 3" | 2.00 |
| cupreata | 3" | 1.25 | Roehrs Snow-White (clear white) | 3" | .75 |
| cupreata Acajou | 3" | 1.25 | Ruffled Queen (red lavender) | 3" | 1.50 |
| cupreata Emerald Queen | 3" | 1.25 | Snow Prince (large white) | 3" | 1.00 |
| cupreata Frosty | 3" | 1.25 | Spring Sky (light blue) | 3" | 1.00 |
| cupreata metallica | 3" | 1.25 | Star Girl (white, blue edge) | 3" | 1.25 |
| cupreata splendens | 3" | 1.25 | Woodpecker (purple tipped) | 3" | 1.00 |
| cupreata viridifolia | 3" | 1.25 | (For complete listing ask for African | | |
| dianthiflora | 2" | 2.00 | Violet list.) | | |
| fulgida, Scarlet Episcia | 3" | 1.25 | SAINTPAULIA SPECIES: | | |
| lilacina cuprea | 3" | 1.00 | amaniensis | S | 2.00 |
| lilacina variegata | 3" | 1.00 | diplotricha (Kewensis) | S | 1.00 |
| lilacina viridis | 3" | 1.25 | grotei | S | 1.00 |
| punctata | 3" | 2.00 | ionantha | S | 1.00 |
| Silver Sheen | 3" | 1.50 | magungensis | S | 2.00 |
| tesselata see NAUTILOCALYX bullatus | | | orbicularis | S | 2.00 |
| GLOXINIA hybrids as available | 5" | 3.00 | tongwensis | S | 2.00 |
| ISOLOMA hirsutum see KOHLERIA | | | SINNINGIA reginae | 3" | 2.00 |
| KOHLERIA (ISOLOMA) hirsutum | 3" | 2.00 | speciosa | S | 2.50 |
| pictum | 3" | 3.50 | speciosa var. caulescens | 3" | 1.50 |
| NAUTILOCALYX (EPISCIA tess.) bullatus | 3" | 1.50 | SMITHIANTHA | S | 2.00 |
| RECHSTEINERIA cardinalis | 3" | 2.00 | STREPTOCARPUS hybridus | S | 1.50 |
| SAINTPAULIA HYBRIDS: | | | TRICHOSPORUM marmorata zebrina | M | 2.00 |
| Admiral (violet blue) | 3" | .75 | pulchrum | S | 1.00 |
| Amethyst (lavender) | 3" | .75 | speciosus | S | 1.25 |
| Azure Beauty (dble white w. blue) | 3" | 1.00 | GLORIOSA Rothschildiana | M | 4.00 |
| Baltic Sea (light mauve) | 3" | 1.00 | GRAPTOPHYLLUM pictum | 3" | 1.25 |
| Bicolor (two-tone) | 3" | .75 | GREVILLEA robusta, Silk Oak | M | 5.00 |
| Blue Boy (violet-blue) | 3" | .75 | GYNURA aurantiaca, Velvet Plant | 3" | 1.50 |
| Blue Eyes (light blue) | 3" | .75 | HEDERA: see IVIES | | |
| Blue Peak (deep blue, white edge dbl.) | 3" | 1.50 | HELICONIA aureo-striata | M | 10.00 |
| Blue Sail (violet-blue) | 3" | 1.00 | bihai | M 6.00 L | 12.00 |
| Confederate Beauty (deep velvety bl.) | 3" | 1.25 | psittacorum | S 3.50 M | 6.00 |
| Crimson Lake (maroon) | 3" | 1.00 | HEMIGRAPHIS colorata | 3" | 1.25 |
| Double Delight (light blue) | 3" | 1.00 | HELXINE soleirolii | S | .50 |
| Dupont Blue (large blue) | 3" | 1.00 | HIBISCUS rosa-sinensis | S 2.00 M | 5.00 |
| Dupont Silver Blue (silvery blue) | 3" | 1.00 | rosa-sinensis Cooperi | 3" | 2.00 |
| Fantasy (speckled lilac) | 3" | 1.00 | rosa-sinensis Double Red | S 2.50 M | 5.00 |
| Geneva Star (lavender, white edge) | 3" | 1.00 | rosa-sinensis Jigora | S 2.00 M | 5.00 |
| Lady Geneva (blue, edged white) | 3" | .75 | rosa-sinensis Singapore | S 2.00 M | 6.00 |
| | | | HOFFMANNIA ghiesbrechtii | 3" | 3.00 |
| | | | refulgens | 3" | 5.00 |

left to right:

- PHOENIX roebelinii
- POLYSCIAS balfouri
- ALOCASIA sanderiana
- ALPINIA sanderae
- AGLAONEMA commutatum




| | | | | | |
|------------------------------------|------------|------|--------------------------------------|----|------|
| HOMALOMENA humilis..... | S | 2.50 | helix Hahn's selfbranching Ivy..... | S | .40 |
| rubescens | M | 5.00 | helix Hahn's variegated | S | .35 |
| wallisii | 3" | 6.00 | helix hibernica | S | .50 |
| HOYA angustifolia..... | S | 1.50 | helix Manda's crested Ivy | S | .40 |
| australis | S | 1.50 | helix maculata | S | .75 |
| bandaensis | S | 2.50 | helix Maple Queen | S | .40 |
| carnosa, Wax Plant..... | 2" .75 3" | 1.50 | helix marginata Silver Garland | S | .50 |
| carnosa exotica | S | 2.00 | helix Merion Beauty..... | S | .40 |
| carnosa variegata | 2" 1.00 3" | 1.50 | helix megheri | S | .75 |
| keysii | S | 2.50 | helix minor, Baby Ivy..... | S | .40 |
| motoskii | 2" 1.00 3" | 2.00 | helix minima | S | .50 |
| HYDRANGEA hortensis Merveille..... | S .75 M | 3.50 | helix palmata | S | .50 |
| macrophylla variegata | 3" | 2.50 | helix Pin Oak | S | .35 |
| HYPOESTES sanguinolenta | 3" | 1.25 | helix Pittsburgh | S | .30 |
| IMPATIENS holstii | S | .75 | helix Shamrock | 2" | .50 |
| holstii alba | S | .75 | helix Silver Emblem..... | S | .75 |
| oliveri | S | 1.50 | helix Silver King | S | 1.00 |
| platypetala | S | 2.00 | helix Smithii | S | .75 |
| sultanii | S | .75 | helix Sylvanian Beauty..... | S | .75 |
| sultanii variegata | S | .75 | helix 238th Street..... | S | .50 |
| ISOLEPIS gracilis | S | 1.25 | helix taurica | 2" | .50 |
| | | | helix Weber's California..... | S | .40 |
| | | | helix williamsiana..... | 2" | .75 |
| | | | helix Jubilee | 2" | .75 |


Ivies

| | | | | | |
|---|----|------|--|------------|-------|
| HERDERA canariensis aureo-maculata..... | S | .75 | IXORA coccinea | 3" | 3.00 |
| canar. vir. arb., Ghost Ivy..... | 3" | 2.00 | javanica | 3" 2.50 4" | 4.00 |
| canariensis variegata | S | .75 | JACOBINIA (Justicia) carnea..... | S 1.50 4" | 3.00 |
| helix, Old English Ivy..... | S | .25 | (Pachystachys) coccinea | 3" | 3.00 |
| helix ballica | S | .50 | JASMINUM officinalis grandiflorum..... | 3" | 1.50 |
| helix Birdsfoot..... | S | .40 | primulinum | S 1.25 M | 3.50 |
| helix chrysocarpa | S | .75 | revolutum | S 1.25 M | 3.50 |
| helix conglomerata | S | 1.00 | sambac, Arabian Jasmine | S 2.00 M | 4.00 |
| helix conglomerata erecta | S | 1.00 | sambac Grand Duke | S 2.50 M | 5.00 |
| helix cordata | S | .40 | KENTIA forsteriana | S .75 M | 15.00 |
| helix cristata, Parsley Ivy..... | S | .40 | (large combinations 25.00 to 75.00) | | |
| helix curlilocks | 2" | .50 | LIGUSTRUM lucidum | S | 2.50 |
| helix denticulata | S | .50 | MALPIGHIA coccinea, Miniature Holly..... | 3" | 2.00 |
| helix Glacier..... | S | .60 | glabra | M | 3.00 |
| helix Golddust | S | .75 | MANETTIA bicolor | S | 1.25 |
| helix Green Spear | 2" | .75 | | | |

left to right:

- EUPHORBIA fulgens
- RUBUS reflexus pictus
- PIPER magnificum
- FICUS rub. variegata
- HOYA carnosa var.





left to right:

PEPEROMIA sandersi

PEPEROMIA obt. variegata

ARAUCARIA excelsa

CROTON Corkscrew

FICUS doescheri

MARANTACEAE:

| | | |
|--------------------------------|---------|------------|
| CALATHEA albertii | S 1.50 | M 3.00 |
| amabilis | S 1.50 | M 3.00 |
| argyraea | S 1.50 | M 2.50 |
| discolor | S 2.00 | M 4.00 |
| grandifolia | | M 3.00 |
| insignis | S | 7.50 |
| lietzei | 3" | 2.00 |
| lindeniana | M | 6.00 |
| makoyana | 3" | 4.00 |
| medii-picta | 3" | 5.00 |
| micans | S | 3.00 |
| princeps | S 3.00 | M 5.00 |
| roseo-lineata | S 5.00 | M 7.50 |
| setosa | M | 3.50 |
| van den heckei | 3" | 2.00 |
| zebrina | S 3.50 | M 6.00 |
| CTENANTHE lubbersiana | 3" 2.00 | 4" 4.00 |
| oppenheimiana | 3" | 2.00 |
| oppenheimiana tricolor | 3" | 3.00 |
| MARANTA arundinacea | 3" 1.50 | 4" 2.50 |
| arundinacea variegata | 3" | 3.00 |
| bicolor | 3" | 1.50 |
| leuconeura kerchoveana | 3" | 1.00 |
| leuconeura massangeana | 3" | 2.50 |
| MARCGRACIA rectiflora | S | 3.00 |
| MIMOSA pudica, Sensitive Plant | S | 1.50 |
| MONSTERA acuminata | 3" | 2.00 |
| deliciosa juvenile form | 4" 4.00 | L 15.00 up |
| deliciosa maturity form | M 7.50 | up |
| friedrichsthali | S | 2.00 |
| nechodomii | 3" | 1.50 |
| perforoides | M | 6.00 |
| pittieri | S | 2.00 |
| MUEHLENBECKIA platyclados | S | 1.50 |
| MUSA cavendishi | M | 15.00 |
| paradisica variegata | M | 20.00 |
| velutina | M | 10.00 |
| MYRSINE africana | M | 2.50 |
| MYRTUS communis | M | 2.00 |
| communis microphylla | 3" 1.50 | M 2.50 |
| communis variegatus | 2" | 2.50 |
| NEOMARICA northiana | S 1.50 | M 3.00 |
| NEPENTHES dominiana | S | 7.50 |
| intermedia | S | 10.00 |
| NEPHOTHYTIS gravenreuthii | S | 7.50 |
| NICODEMIA diversifolia | S 2.00 | M 5.00 |
| PACHYSANDRA variegata | 3" | 2.00 |
| PALISOTA barteri | M | 3.00 |
| Elizabethae | M | 3.50 |
| PANDANUS baptistii | S 2.00 | M 5.00 |

| | | |
|--------------------------------------|---------|---------|
| pacificus | S | 2.50 |
| pygmaeus | M | 4.00 |
| sanderi | S 2.00 | M 4.00 |
| utilis, Screw Pine | S | 3.50 |
| veitchii | S 1.00 | M 3.50 |
| veitchii compacta | S 2.00 | M 5.00 |
| PASSIFLORA alato-coerulea (Pfordtii) | S | 1.50 |
| coreacea | 3" | 1.50 |
| racemosa (princeps) | 3" | 1.50 |
| trifasciata (maculifolia) | 3" | 2.00 |
| PELARGONIUM crispum var. | 2" 1.00 | 3" 2.00 |
| denticulatum filicifolium | 3" | 1.50 |
| dwarf golden red | 3" | 1.50 |
| formosa | 2" | 1.50 |
| fragrans | 2" 1.00 | 3" 1.50 |
| graveolens | 3" | 1.00 |
| graveolens marginata | 3" | 2.00 |
| grossularioides | 2" .75 | 3" 1.50 |
| Peace | 2" | 1.50 |
| Peaches and Cream | 3" | 1.50 |
| peltatum Mad. Margot | S | 1.00 |
| Tobey | 3" | 1.50 |
| tomentosum, Peppermint Geranium | 3" | 1.50 |
| zonale Black Vesuvius | S | 1.50 |
| zonale Burdette Coutts | S | 1.50 |
| zonale Distinction | 3" | 1.50 |
| zonale Happy Thought | 3" | 1.00 |
| zonale Skies of Italy | 3" | 1.50 |
| zonale Velma | 3" | 2.00 |
| PELLIONIA daveauana | S | .75 |
| pulchra | S | 1.00 |
| PEPEROMIA acuminata | 3" | 1.00 |
| clusiaefolia | 3" | 1.50 |
| crassifolia | 3" | 1.00 |
| fosteriana | 2" | 1.00 |
| glabella variegata | 3" | 1.00 |
| hederifolia | 3" | 1.25 |
| incana | 3" | 1.50 |
| maculosa | 3" | 2.00 |
| magnoliaefolia variegata | 3" | 1.00 |
| metallica | 2" | 2.00 |
| monini | S | 1.00 |
| nummularifolia | 3" | .75 |
| obtusifolia, Pepper Face | 3" | .75 |
| obtusifolia variegata | 3" | 1.00 |
| pereskiaefolia | 3" | 1.50 |
| perucattii | 3" | 1.25 |
| resedaeflora | 3" | 2.00 |
| rotundifolia, Yerba Linda | 3" | 1.00 |
| rubella (minima) | 2" | .50 |
| sandersii | 3" | .75 |
| scandens | 3" | 1.00 |
| verticillata | 3" | 1.50 |
| PERISTROPHE angustifolia aureo-var. | 3" | 1.50 |

left to right:

EPIDENDRUM cochleatum

PHALAENOPSIS rotsch.

CATTELEYA trianae

CYPRIPEDIUM insigne

DENDROBIUM nobile

ONCIDIUM ornythorh.


ODONTOGLOSSUM pulch.



Orchids

| | | |
|------------------------------|----------|-------|
| ANOECTOCHILUS (Jewel Orchid) | S | 7.50 |
| ANGRAECUM distichum | S | 5.00 |
| BRASSAVOLA nodosa | S | 5.00 |
| digbyana | S | 10.00 |
| CATTELEYA bowringiana | S 7.50 L | 15.00 |
| Enid | M 8.50 L | 14.00 |
| gigas | M | 10.00 |
| mossiae | M 5.00 L | 10.00 |
| percivaliana | M | 4.00 |
| Priscilla alba | M | 10.00 |
| schroederiae | M | 10.00 |
| trianae | M 5.00 L | 10.00 |
| COELOGYNE cristata | S | 5.00 |
| dayana | M | 7.50 |
| massangeana | M | 7.50 |
| speciosa | M | 4.00 |
| CYMBIDIUM aloifolium | M | 6.00 |
| CYPRIPEDIUM aureum Surprise | M | 6.00 |
| fairrieanum | S | 7.50 |
| harrissianum | M | 6.00 |
| insigne | M | 3.50 |
| lawrenseanum | M | 7.50 |
| maudiae | S | 12.50 |
| venustum | M | 7.50 |
| CYRTOPODIUM punctatum | S | 7.50 |
| DENDROBIUM aggregatum | M | 7.00 |
| moschatum | M | 10.00 |
| nobile | M | 7.50 |
| phalaenopsis schroederianum | M | 7.50 |
| primulinum | M | 5.00 |
| wardianum | M | 10.00 |
| EPIDENDRUM ciliare | S | 5.00 |
| lanceanum | S | 7.50 |
| Obrienianum | M | 5.00 |

| | | |
|--------------------------|----------|---------|
| pentotis | S | 5.00 |
| tampense | S | 2.50 |
| GOMEZA planifolia | S | 6.00 |
| LAELIA anceps | M | 4.00 |
| lindleyana | M | 5.00 |
| MAXILLARIA tenuifolia | M | 7.50 |
| ODONTOGLOSSUM pulchellum | S | 7.50 |
| ONCIDIUM alatum | M | 7.50 |
| altissimum | M 5.00 L | 7.50 |
| baueri | M | 6.00 |
| carthaginense | S | 5.00 |
| flexuosum | S | 5.00 |
| Java | S | 7.50 |
| lanceanum | M | 20.00 |
| ornythorhynchum | S | 6.00 |
| pulvinatum | M | 5.00 |
| sphacelatum | M 5.00 L | 7.50 up |
| tigrinum splendidum | S 3.50 M | 6.00 up |
| varicosum | S | 5.00 |
| wentworthianum | S | 7.50 |
| PHAIUS grandifolius | M | 7.50 |
| PHALAENOPSIS amabilis | M | 15.00 |
| lueddemanniana | S | 7.50 |
| rothschildiana | M | 10.00 |
| PLATYCLINIS glumacea | S | 5.00 |
| SCHOMBURGKIA crispa | M | 7.50 |
| tibicinis | M | 10.00 |
| undulata | M | 12.00 |
| SELENIPEDIUM grande | M | 15.00 |
| Sedeni | M | 15.00 |
| STANHOPEA insignis | M | 7.50 |
| wardii | S | 10.00 |
| VANDA coerulea | M | 10.00 |
| teres | S | 3.00 |
| tricolor | M | 15.00 |
| VANILLA planifolia | S 3.50 M | 7.50 |
| ZYGOPETALUM mackayi | M | 10.00 |



left to right:

SYNGONIUM auritum
PHILODENDRON hastatum
PHILODENDRON radiatum
PHILODENDRON oxyd. var.
PHILODENDRON pertusum

| | | | | | |
|----------------------------------|-----------|----------|----------------------------------|-----------|----------|
| PHILODENDRON alatum | S | 5.00 | Silver Sheen | S | 1.00 |
| andreaum | S 4.00 M | 7.50 | simzii | S 2.00 M | 3.50 |
| bipinnatifidum | M | 10.00 | sodiroid | S 2.50 M | 4.00 |
| brenesii | M | 5.00 | squamiferum | S 3.00 M | 5.00 |
| calophyllum | M | 5.00 | trifoliatum | S 2.50 M | 4.00 |
| cannifolium | S 2.50 M | 5.00 | tripartitum x squamiferum | S 3.00 M | 5.00 |
| cordatum (true) | S | 2.00 | trisectum | S 2.00 M | 4.00 |
| corrugosum | S 2.50 M | 4.00 | varifolium | S | 2.50 |
| crassum | M | 4.00 | verrucosum | S 3.00 M | 5.00 |
| crassinervum | M | 3.00 | warscewiczii | M | 12.00 |
| cruentum | S 2.50 M | 4.00 | wendlandii | S 2.00 M | 4.00 |
| erubescens | S 2.00 M | 4.00 | PHOENIX roebelinii | S 2.00 M | 5.00 up |
| fenzlii | S 2.50 M | 4.00 | PHORMIUM tenax | M | 5.00 |
| fibrillosum | S 2.00 M | 4.00 | PILEA cadieri, Watermelon Pilea | S | .75 |
| "Florida" (squamif. x laciniat.) | M | 4.00 | involucrata (spruceana) | S | 1.00 |
| giganteum | M 7.00 L | 12.00 | microphylla (muscosa) | S | .75 |
| gloriosum | M | 10.00 | nummularifolia, Creeping Charlie | S | .50 |
| (Monstera) guttiferum | S 1.00 M | 2.50 | serpyllifolia | S | .50 |
| hastatum variegatum (flavescens) | S | 6.00 | PIPER betle | S | 2.00 |
| imbe | M | 6.00 | nigrum, Black Pepper | S | 1.50 |
| krebsii | S | 1.00 | ornatum | S | 1.25 |
| lacerum | S 3.00 M | 5.00 | PITTOSPORUM tobira | S 1.00 L | 20.00 |
| laciniatum (lacinosum) | S 2.50 M | 5.00 | tobira variegata | 4" 3.50 L | 25.00 |
| lingulatum | S | 3.00 | PLECTRANTHUS oertendahl | 3" | 1.50 |
| Lynette | M | 5.00 | PLEOMELE gracilis | S 3.50 M | 7.00 |
| mamei | M | 7.50 | thalioides | S 5.00 M | 7.50 |
| mandalaianum | S 2.50 M | 4.00 | PLUMBAGO capensis | S 1.00 M | 4.00 |
| melanochrysom | S | 3.50 | coccinea | S | 2.00 |
| "mexicanum" | S 1.00 M | 2.50 | PLUMERIA acuminata Singapore | M | 12.00 |
| micans | S | .60 | rubra (acuminata), Frangipani | M | 10.00 |
| oxycardium (scandens) | S .35 M | 1.00 | rubra acutifolia | M | 10.00 |
| oxycardium variegatum | M | 1.25 | PODOCARPUS macrophylla | S .50 L | 35.00 up |
| panduriforme | S 2.00 M | 5.00 | POINSETTIA see EUPHORBIA | | |
| pertusum | 4" 4.00 L | 15.00 up | POLYSCIAS (Aralia) balfouriana | S | 2.00 |
| pertusum variegatum | M | 10.00 | (Aralia) guilfoyl. victoriae | S 2.50 M | 4.00 |
| pittieri | S 2.00 M | 6.00 | POTHOS aureus — see SCINDAPSUS | | |
| radiatum (dubium) | S 2.00 M | 4.00 | jambaea | S | 3.50 |
| ruizii | M | 5.00 | PUNICA granatum nana | S | 2.50 |
| sagittifolium | S 2.50 M | 4.00 | RHAPHIDOPHORA celatocaulis | S | 4.00 |
| sagittatum | S 3.00 M | 5.00 | decursiva | M 5.00 L | 15.00 |
| sanguineum | M | 6.00 | laciniosa | S | 2.50 |
| schottii | S | 2.00 | RHAPIS flabelliformis (excl.) | M 10.00 L | 35.00 up |
| selloum | M | 5.00 | humilis, Miniature Fan Palm | M | 15.00 |



left to right:

SPIRONEMA warscew.
CISSUS antarctica
MUEHLENBECKIA platycl.
TOLMIEA menziesii
CISSUS rhomb. mand.

left to right:

FITTONIA versch. pearcei
ACORUS gram. albovar.
FICUS radicans var.
ISOLEPIS gracilis
HEMEOGRAPHIS colorata
STENOTAPHRUM amer. var.



| | | | | | |
|-------------------------------------|----------|-----------|-----------------------------------|----------------|--------|
| RHEKTOPHYLLUM mirabile | M 5.00 | L 10.00 | SPIRONEMA fragrans (Trad. | | |
| RHODOSPATHA hastata | S | 5.00 | dracaenoides | S | 1.00 |
| RHOEO discolor, Moses in the Cradle | M | 1.50 | melnikoffii | M | 1.00 |
| discolor vittata | M | 2.50 | warszewiczianum | M | 1.25 |
| RHYNCHOSPERMUM jasminoides | S | 2.50 | STENOSPERMATION popayanense | M | 3.00 |
| ROHDEA japonica marginata | division | 5.00 | STENOTAPHRUM americanum variegat. | M | 1.00 |
| ROSA sinensis minima, Fairy Rose | 3" | 2.50 | STEPHANOTIS floribunda | S | 2.00 |
| ROSMARINUS officinalis | S 1.00 | M 2.00 | STEUDNERA discolor | M | 10.00 |
| RUBUS reflexus pictus | M | 3.00 | STRELITZIA reginae | 5" | 4.00 |
| RUELLIA makoyana | S | .75 | | L (per growth) | 7.50 |
| SAINTPAULIA see GESNERIADS. | | | STROBILANTHES dyerianus | S | 1.00 |
| SALVIA dorisianum | 3" | 1.00 | SYNGONIUM albolineatum | S | .50 |
| SANCHEZIA nobilis glaucophylla | S | 2.50 | auritum, Five Fingers | S 2.00 | M 4.00 |
| SAXIFRAGA sarmentosa | S | .35 | erythrophyllum | S | 2.50 |
| sarmentosa tricolor | S | 1.50 | hoffmannii | S | 1.00 |
| SCHEFFLERA actinophylla | S 1.50 | M 4.00 up | microphyllum | M | 2.00 |
| SCHISMATOGLOTTIS novo-guin. | S 2.50 | M 4.00 | podophyllum (Nephthytis liberica) | S | .40 |
| ornata | S | 4.00 | podophyllum Emerald Gem | S | .50 |
| roebelinii see AGLAONEMA | | | Ruth Fraser | 3" | 1.50 |
| SCHIZOCENTRON elegans | S | 1.00 | xanthophyllum, Green Gold | S | .75 |
| SCINDAPSUS aureus (Pothos) | M | .75 | wendlandii | S | 1.00 |
| aureus Marble Queen | M | 1.25 | Ysidro | M | 3.00 |
| pictus | M | 2.50 | TABERNAEMONTANA coronaria | S 2.00 | M 5.00 |
| pictus argyraeus (Pothos argyr.) | M | 2.00 | TETRAHEMA (Allophyton) mexicana | S | 1.00 |
| SENECIO micanoides | S | .75 | TOLMIEA menziesii | 2" | .50 4" |
| tropaeolum | 3" | 1.25 | TRADESCANTIA fuscata | S | 1.50 |
| SERJANIA communis glabra | M | 2.00 | fluminensis variegata | M | 1.00 |
| SERISSA foetida variegata | S .75 | M 2.00 | navicularis | S | .75 |
| SETCREASEA pallida, Purple Heart | M | 1.00 | THUNBERGIA grandiflora | 5" | 6.00 |
| striata | M | 1.00 | VITIS see CISSUS. | | |
| SONERILA margaritacea | 3" | 3.00 | XANTHOSOMA lindenii | 3" | 5.00 |
| SPARMANNIA africana | M | 6.00 | atrivirens | M | 3.00 |
| SPATHICARPA sagittifolia | S | 2.50 | violaceum | M | 3.00 |
| SPATHIPHYLLUM blandum | 5" | 6.00 | daguense | 3" | 3.00 |
| cannaefolium | S | 4.00 | ZAMIOCULCAS zamiifolia | M | 4.00 |
| floribundum | S 2.50 | M 4.00 | ZEBRINA pendula | M | .75 |
| friedrichsthali | M | 7.50 | pendula quadricolor | M | 1.00 |
| kochii (Clevelandi) | S 2.50 | M 5.00 | purpusii | S | .50 |

left to right:

DRACAENA terminalis
DRACAENA sanderiana
DRACAENA marginata
DRACAENA goldieana
DRACAENA longii
DRACAENA godseffiana





left to right:

KALANCHOE somaliense
KALANCHOE marmorata
CEPHALOCEREUS senilis
SEDUM guatemalense
STAPELIA gigantea
EUPHORBIA splendens

Succulents including Cacti.

| | | | | | |
|------------------------------------|---|------|--------------------------------------|---------|------|
| AEONIUM arboreum | S | 1.00 | ECHEVERIA elegans | S | .35 |
| arboreum atro-purpureum | S | .40 | derenbergii | S | .35 |
| cooperi | S | .40 | derenbergii hyb. | S | .40 |
| haworthii | S | .35 | hybrid Doris Taylor | M | 1.00 |
| AGAVE americana | S | .30 | glauca | S | .50 |
| caribaea | S | 2.50 | gibbiflora metallica | M | 1.00 |
| decipiens | S | .30 | perbella | S | .75 |
| sisalana | S | .25 | pulvinata | S | .40 |
| stricta | M | 2.50 | pulv-oliver | S | .75 |
| victoriae reginae | S | 1.25 | set-oliver | S | .75 |
| ANACAMPSEROS rufescens | S | .50 | ECHINOCACTUS grusonii | S | .75 |
| ALOE africana | S | .50 | ECHINOCEREUS dasyacantha | S | .50 |
| arborescens | S | .75 | ECHINOPSIS multiplex | S | .50 |
| aristata | S | .60 | ESPOSTOA lanata | S | .75 |
| beguinni | S | .75 | EUPHORBIA abyssinica | S | 3.50 |
| brevifolia | S | .25 | fulgens | S | 1.00 |
| ciliaris | S | .50 | grandicornis | M | 3.00 |
| ferox | S | .50 | hermentiana | S | .75 |
| humilis | S | .35 | lactea, Candelabra Plant | S | .75 |
| humvir | S | .40 | lactea cristata | S | 7.50 |
| nobilis | S | .35 | pulcherrima (Poinsettia) red | S | .50 |
| spinosissima | S | 1.00 | pulcherrima white, pink | S | .75 |
| striata | S | .75 | pulvinata | S | .75 |
| variegata | S | .75 | pseudo-cactus | S | .75 |
| vera | M | 5.00 | splendens, Crown of Thorns | S .50 M | 3.00 |
| virens | S | .40 | splendens bojeri | S | .75 |
| ASTROPHYTUM asterias | S | .50 | submamillaris, Corn Cob Cactus | S | .40 |
| myriostigma | S | .50 | tirucalli | S | .75 |
| ornatum | S | .70 | FAUCARIA tigrina, Tiger Jaws | S | .40 |
| BRYOPHYLLUM daigremontianum | S | .25 | FENESTRARIA rhopalophylla | S | 1.00 |
| hybrid (daigremontianum x tubifl.) | S | .40 | FEROCACTUS pilosus | S | .50 |
| pinnatum | S | .50 | FURCRAEA selloa marginata | S | 3.00 |
| tubiflorum | S | .25 | GASTER-ALOE Spotted Beauty | S | .75 |
| CARALLUMA europaea | S | .75 | GASTERIA hybrida | S | .50 |
| lutea | S | .75 | maculata | S | .75 |
| CEPHALOCEREUS chrysacantha | S | .50 | verrucosa | S | .75 |
| palmeri | S | .50 | GASWORTHIA (Gasteria-Haworthia hyb.) | S | 1.00 |
| polylophus | S | 1.50 | GRAPTOPETALUM paraguayense | S | .50 |
| senilis | S | 1.25 | GYMNOCALYCIUM mihanovichii | S | .75 |
| CEREUS jamacaru | S | .40 | HAWORTHIA chalwinii | S | 1.00 |
| CEREUS peruvianus hybrid | S | .35 | coarctata | S | .50 |
| peruvianus monstrosa | S | 1.00 | cuspidata | S | .60 |
| CEROPEGIA woodii | S | 1.00 | cymbiformis | S | .60 |
| CHAMAECEREUS sylvestris | S | .50 | fasciata | S | .50 |
| COTYLEDON barbeyi | S | 1.00 | margaretifera | S | .50 |
| CRASSULA arborescens, Jade Plant | S | .25 | minima | S | 1.00 |
| arbor. variegata | S | .50 | radula | S | .75 |
| argentea | S | .40 | tesselata | S | 1.00 |
| cultrata | S | .50 | HEREROA neli | S | .40 |
| deltoides | S | .50 | HUERNIA pillansii | S | .75 |
| lactea | S | .35 | zebrina | S | .60 |
| pseudo-lycopodioides | S | .25 | HYLOCEREUS undatus (nightblooming) | M | 1.50 |
| pagoda, Necklace Plant | S | .30 | KALANCHOE coccinea Blossfeldiana | S | .75 |
| ruperstris, Rosary Plant | S | .30 | fedtschenkoii | S | .25 |
| tecta | S | .75 | marmorata | S | .40 |
| tetragona, Miniature Pine Tree | S | .30 | somaliense | S | .30 |
| | | | synsepala | S | 2.50 |
| | | | tomentosa, Panda Plant | S | .40 |

left to right:

ALOE spinosissima


ALOE beguinni

ASTROPHYTUM ornatum

PACHYVERIA haagei

CARRALLUMA lutea

STAPELIA variegata



SUCCULENTS INCLUDING CACTI (Continued)

| | | | | | |
|-------------------------------------|---|------|--------------------------------|---|------|
| KLEINIA pendula | S | 1.00 | PERESKIA aculeata, Lemon Vine | S | 1.00 |
| tomentosa | S | 1.00 | godseffiana | S | 1.50 |
| LEMAIREOCEREUS beneckeii | M | 3.50 | PHYLLOCACTUS hybrid Brilliant | S | 1.50 |
| dumortieri | S | .50 | stenopetalum | M | 2.50 |
| griseus | S | .50 | PILOCEREUS marginatus | S | .50 |
| pruinus | S | .40 | PLEIOSPILOS bolusii | S | .60 |
| stellatus | S | .50 | nelii | S | .60 |
| weberi | S | .50 | PORTULACARIA afra variegata | S | .40 |
| LITHOPS species, Living Stone | S | 1.00 | REBUTIA kupperiana | S | .50 |
| LOBIVIA bruchii | S | .50 | RHIPSALIS cassutha | S | 1.50 |
| MAMMILLARIA affinis | S | .50 | cereuscula | S | 1.00 |
| bocasana, Fish Hook | S | .40 | paradoxa, Link Plant | S | 2.00 |
| bogotensis | S | .50 | SANSEVIERIA arborescens | S | 2.50 |
| camptotricha | S | .50 | compacta | S | .50 |
| celsiana | S | .50 | cornui | S | .75 |
| columbiana | S | .50 | cylindrica | S | 2.50 |
| elongata | S | .75 | ehrenbergii | M | 5.00 |
| elegans | S | .50 | hahnii | S | .50 |
| geminispina | S | .50 | nelsonii | S | .75 |
| hahnii | S | .50 | parva | S | .75 |
| parkinsonii, Owl Eyes | S | .50 | subspicata | S | .75 |
| phaeacantha | S | .50 | trifasciata | S | .35 |
| potosina | S | .50 | trifasciata craigii | M | 2.50 |
| mystax | S | .50 | trifasciata laurentii | S | .50 |
| rhodantha | S | .50 | zeylanica (true species) | S | 2.50 |
| vaupelii | S | .50 | SCHLUMBERGERA gaertneri | S | 2.00 |
| MELOCACTUS maxonii | S | .50 | makoyana | S | 2.00 |
| MESEMBRIANTHEMUM agninum | S | .30 | russelliana | S | 2.50 |
| deltoides | S | .30 | SEDUM adolphii | S | .25 |
| MONVILLEA cavendishii | S | 1.00 | guatemalense, Christmas Cheer | S | .25 |
| MONADENIUM lugardae | S | 1.00 | Hummels hybrid | S | .35 |
| MYRTILLOCACTUS geometrizzans | S | .50 | morganianum, Burro Tail | S | .50 |
| NOPALEA cochenillifera | S | .75 | pachiphyllum | S | .25 |
| NOTOCACTUS aprieus | S | .50 | treleasei | S | .25 |
| leninghausii | S | 1.00 | SENECIO stapeliiformis | S | .75 |
| mammulosus | S | .50 | SELENICEREUS McDonaldiae | S | 2.00 |
| ottonis | S | .50 | pteranthus | S | 1.00 |
| NYCTOCEREUS serpentinus | S | .50 | SEMPERVIVUM calcareum | S | .35 |
| OPUNTIA brasiliensis | S | .50 | STAPELIA gigantea, Zulu Giants | S | .50 |
| erinacea, Grizzly Bear | S | .75 | hirsuta | S | .50 |
| ficus - indica | S | 1.00 | variegata, Star Flower | S | .35 |
| mamillata, Boxing Glove | S | .40 | TRICHO-CEREUS aureicolor | S | .50 |
| microdasys | S | .25 | pachanoi | S | .50 |
| microdasys albispinia | S | .50 | pasacana | S | .60 |
| monacantha | S | .50 | TRICHO-CEREUS schickendenzii | S | .75 |
| schickendanzii, Lion's Tongue | S | .35 | spachianus | S | .50 |
| subulata | S | .75 | terscheckii | S | .60 |
| rufida | S | .25 | URBINIA agavoides (Echeveria) | S | .75 |
| velutina | S | 1.00 | ZYGOCACTUS truncatus | S | 1.00 |
| vilis | S | .40 | Gertrude Beahm | S | 1.00 |
| PACHYCEREUS pringlei | S | 1.00 | Madame Andre | S | 1.50 |
| PACHYPHYTUM compactum | S | .60 | delicatum | S | 1.50 |
| cornelius hybrid | S | .50 | W. A. Manda | S | 1.50 |
| haagei | S | .75 | violaceum | S | 1.25 |
| PACHYVERIA brevifolia | S | .60 | Llewellyn | S | 1.00 |
| clavifolia crestata | S | .75 | Thanksgiving | S | 1.00 |
| PEDILANTHUS tithymaloides variegat. | S | .75 | Amelia Manda | S | 2.00 |
| tithymaloides nana compacta | S | 1.00 | South Orange | S | 1.00 |

